



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/760,237	01/21/2004	Kia Silverbrook	SMA05US	2187
24011 7590 09/17/2009 SILVERBROOK RESEARCH PTY LTD 393 DARLING STREET BALMAIN, 2041 AUSTRALIA			EXAMINER MARTIN, LAURA E	
			ART UNIT 2853	PAPER NUMBER
			NOTIFICATION DATE 09/17/2009	DELIVERY MODE ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

pair@silverbrookresearch.com  
patentdept@silverbrookresearch.com  
uscorro@silverbrookresearch.com

**SUPPLEMENTAL  
Notice of Allowability**

Application No.

10/760,237

Examiner

LAURA E. MARTIN

Applicant(s)

SILVERBROOK ET AL.

Art Unit

2853

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 3/3/09.
2. ☒ The allowed claim(s) is/are 1-27.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- \* Certified copies not received: \_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).**
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_.
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_.

/Manish S. Shah/  
Primary Examiner, Art Unit 2853

### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

#### **Specification:**

Page 9, line 13: **change** "Each of the print head assemblies 50 and 51 may, for example, be in the form of that which is described in the Applicant's co-pending U.S. patent application Ser. No. \_\_\_\_\_ (Docket No. MPA01US), Ser. No. \_\_\_\_\_ (Docket No. MPA02US), Ser. No. \_\_\_\_\_ (Docket No. MPA03US), Ser. No. \_\_\_\_\_ (Docket No. MPA04US), Ser. No. \_\_\_\_\_ (Docket No. MPA05US), Ser. No. \_\_\_\_\_ (Docket No. MPA06US), Ser. No. \_\_\_\_\_ (Docket No. MPA07US), Ser. No. \_\_\_\_\_ (Docket No. MPA08US), Ser. No. \_\_\_\_\_ (Docket No. MPA09US), Ser. No. \_\_\_\_\_ (Docket No. MPA10US), Ser. No. \_\_\_\_\_ (Docket No. MPA11US), Ser. No. \_\_\_\_\_ (Docket No. MPA12US), Ser. No. \_\_\_\_\_ (Docket No. MPA13US), Ser. No. \_\_\_\_\_ (Docket No. MPA14US), Ser. No. \_\_\_\_\_ (Docket No. MPA15US), Ser. No. \_\_\_\_\_ (Docket No. MPA16US), Ser. No. \_\_\_\_\_ (Docket No. MPA17US), Ser. No. \_\_\_\_\_ (Docket No. MPA18US), Ser. No. \_\_\_\_\_ (Docket No. MPA19US), Ser. No. \_\_\_\_\_ (Docket No. MPA20US), Ser. No. \_\_\_\_\_ (Docket No. MPA21US), Ser. No. \_\_\_\_\_ (Docket No. MPA22US), Ser. No. \_\_\_\_\_ (Docket No. MPA23US), Ser. No. \_\_\_\_\_ (Docket No. MPA24US), Ser. No. \_\_\_\_\_ (Docket No. MPA25US), Ser. No. \_\_\_\_\_ (Docket No.

Art Unit: 2853

MPA26US), Ser. No. \_\_\_\_\_ (Docket No. MPA27US), Ser. No. \_\_\_\_\_ (Docket No. MPA28US), Ser. No. \_\_\_\_\_ (Docket No. MPA29US), Ser. No. \_\_\_\_\_ (Docket No. MPA30US), Ser. No. \_\_\_\_\_ (Docket No. MPA31US), Ser. No. \_\_\_\_\_ (Docket No. MPA32US), Ser. No. \_\_\_\_\_ (Docket No. MPA33US), which is incorporated herein by reference, but other types of print head assemblies (including thermal or piezo-electric activated bubble jet printers) that are known in the art may alternatively be employed.”

to --Each of the print head assemblies 50 and 51 may, for example, be in the form of that which is described in the Applicant's co-pending and granted applications:

U.S. Pat Nos. ,7156,508; 7,159,972; 7,083,271; 7,165,834; 7,080,894; 7,201,469; 7,090,336; 7,156,489; 7,413,253; 7,438,385; 7,083,257; 7,258,422; 7,255,423; 7,219,980; 7,591,533; 7,416,274; 7,367,649; 7,118,192; 7,322,672; 7,077,505; 7,198,354; 7,077,504; 7,198,355; 7,401,894; 7,322,676; 7,152,959; 7,213,906; 7,178,901; 7,222,938; 7,108,353; 7,104,629; U.S. patent application Ser. Nos. 10/760,189 and 10/760,194, which are incorporated herein by reference, but other types of print head assemblies (including thermal or piezo-electric activated bubble jet printers) that are known in the art may alternatively be employed.--

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LAURA E. MARTIN whose telephone number is (571)272-2160. The examiner can normally be reached on Monday - Friday, 7:00 - 3:30.

Art Unit: 2853

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen D. Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/L. E. M./  
Examiner, Art Unit 2853

/Manish S. Shah/  
Primary Examiner, Art Unit 2853